

OHIO CAUSE OF FATAL INJURY BY INTENT FOR AGES 1-4, 1993-97 MAF+

<u>Cause of Injury</u>	Intent				Total MAF	Average Rate/100,000	95% C I	
	Unintentional MAF	Homicide MAF	Undetermined MAF	Other MAF			Lower	Upper
Cut/pierce	0.0	0.0	0.0	0.0	0.0	0.0	--	--
Drowning/submersion	13.4	0.0	0.0	*	13.4	2.2	1.0	3.3
Falls	1.6	0.0	0.0	*	1.6	0.3	0.0	0.7
Fire/hot object or substance	21.6	1.0	0.4	*	23.0	3.7	2.2	5.3
Firearms	0.8	2.6	0.0	0.0	3.4	0.5	0.0	1.1
Machinery	0.2	*	*	*	0.2	0.0	--	--
MV Traffic	21.0	*	0.0	*	21.0	3.4	1.9	4.9
<i>MV-Occupant</i>	9.2	*	*	*	9.2	1.5	0.5	2.5
<i>MV-Motorcycle</i>	0.2	*	*	*	0.2	0.0	--	--
<i>MV-Pedal Cycle</i>	0.0	*	*	*	0.0	0.0	--	--
<i>MV-Pedestrian</i>	9.0	*	*	*	9.0	1.5	0.5	2.4
<i>Unspecified</i>	2.6	*	*	*	2.6	0.4	0.0	0.9
Non MV-Pedal Cycle	0.0	*	*	*	0.0	0.0	--	--
Non MV-Pedestrian	2.0	*	*	*	2.0	0.3	0.0	0.8
Other Transport	0.4	*	0.0	*	0.0	0.0	--	--
Natural/environment	0.2	*	0.0	*	0.2	0.0	--	--
<i>Bites & Stings</i>	0.0	*	*	*	0.0	0.0	--	--
Overexertion	0.0	*	*	*	0.0	0.0	--	--
Poisoning	1.0	0.0	0.6	0.0	0.0	0.0	--	--
Struck by/against	1.0	0.2	*	0.0	1.2	0.2	0.0	0.5
Suffocation	3.2	0.0	0.2	*	3.4	0.5	0.0	1.1
Other specified and classifiable	0.6	4.4	0.0	0.0	5.0	0.8	0.1	1.5
Other specified and not elsewhere classifiable	0.2	1.2	0.2	0.0	1.6	0.3	0.0	0.7
Unspecified	1.6	2.8	0.0	0.0	4.4	0.7	0.0	1.4
All Injury	68.8	12.2	1.4	0.0	82.4	13.3	10.4	16.2
Total Injury Rates by Intent	11.1	2.0	0.2	0.0	13.3			
Adverse events/effects^	*	*	*	*	4.0	0.6	0.0	1.3
All External Causes					86.4	13.9	10.9	16.9
MIDYEAR POPULATION FOR AGES 1-4					619647			

+Mean Annual Frequencies

Note: "*" represents categories in which no E codes are assigned

^Adverse effects have been excluded from the "All Injury" category but are included in the "All External Causes" category.

Produced by Children's Safety Network National Injury Data Technical Assistance Center & Children's Safety Network Economics and Insurance Resource Center

Similar tables are available for all states at: <http://www.nidtac.org>

Rates presented in this table are based on 5-year averages. Rates based on small numbers are likely to be unstable. Thus, it may be inappropriate to make decisions based upon a comparison of the rates presented here with local single-year rates.

Data were obtained from the 1993-97 Multiple Cause-of-Death File CD-ROM Series, prepared by NCHS, Division of Vital Statistics and Division of Data Services

OHIO UNDETERMINED FATAL INJURY INCIDENCES, RATES AND ESTIMATED COSTS FOR AGES 1-4, 1993-1997

<u>Cause of Injury</u>	Mean Annual Frequencies	Average Rate/100,000	Total Years Potential Life Lost	Total State Specific Estimated Lifetime Productivity Loss	Total State Specific Medical, Legal & Administrative Costs	Total Monetary Cost of Injury
Cut/pierce	0.0	0.0	0	\$0	\$0	\$0
Drowning/submersion	0.0	0.0	0	\$0	\$0	\$0
Falls	0.0	0.0	0	\$0	\$0	\$0
Fire/hot object or substance	0.4	0.1	29.44	\$338,093	\$7,599	\$345,692
<i>Fire/flame</i>	0.4	0.1	29.44	\$338,093	\$7,599	\$345,692
<i>Hot object/substance</i>	0.0	0.0	0	\$0	\$0	\$0
Firearms	0.0	0.0	0	\$0	\$0	\$0
MV Traffic	0.0	0.0	0	\$0	\$0	\$0
Other Transport	0.0	0.0	0	\$0	\$0	\$0
Natural/environment	0.0	0.0	0	\$0	\$0	\$0
Poisoning	0.6	0.1	44.16	\$507,139	\$11,399	\$518,538
Suffocation	0.2	0.0	14.72	\$169,046	\$3,800	\$172,846
Other specified and classifiable	0.0	0.0	0	\$0	\$0	\$0
Other specified, not elsewhere classifiable	0.2	0.0	14.72	\$169,046	\$3,800	\$172,846
Unspecified	0.0	0.0	0	\$0	\$0	\$0

MIDYEAR POPL FOR AGES 1-4

619647

Produced by Children's Safety Network National Injury Data Technical Assistance Center & Children's Safety Network Economics and Insurance Resource Center
 Similar tables are available for all states at: <http://www.nidtac.org>
 Rates presented in this table are based on 5-year averages. Rates based on small numbers are likely to be unstable. Thus, it may be inappropriate to make decisions based upon a comparison of the rates presented here with local single-year rates.
 Data were obtained from the 1993-97 Multiple Cause-of-Death File CD-ROM Series, prepared by NCHS, Division of Vital Statistics and Division of Data Services

OHIO HOMICIDE RELATED INJURY INCIDENCES, RATES AND ESTIMATED COSTS FOR AGES 1-4, 1993-97

<u>Cause of Injury</u>	Mean Annual Frequencies	Average Rate/100,000	Total Years Potential Life Lost	Total State Specific Estimated Lifetime Productivity Loss	Total State Specific Medical, Legal & Administrative Costs	Total Monetary Cost of Injury
Cut/pierce	0.0	0.0	0	\$0	\$0	\$0
Drowning/submersion	0.0	0.0	0	\$0	\$0	\$0
Falls	0.0	0.0	0	\$0	\$0	\$0
Fire/hot object or substance	1.0	0.2	73.6	\$845,232	\$18,998	\$864,230
<i>Fire/flame</i>	1.0	0.2	73.6	\$845,232	\$18,998	\$864,230
<i>Hot object/substance</i>	0.0	0.0	0	\$0	\$0	\$0
Firearms	2.6	0.4	191.36	\$2,197,604	\$49,395	\$2,246,999
Poisoning	0.0	0.0	0	\$0	\$0	\$0
Struck by/against	0.2	0.0	14.72	\$169,046	\$3,800	\$172,846
Suffocation	0.0	0.0	0	\$0	\$0	\$0
Other specified and classifiable	4.4	0.7	323.84	\$3,719,021	\$83,592	\$3,802,613
Other specified, not elsewhere classifiable	1.2	0.2	88.32	\$1,014,279	\$1,781,166	\$2,795,444
Unspecified	2.8	0.5	206.08	\$2,366,650	\$53,195	\$2,419,845
MIDYEAR POPL. FOR AGES 1-4	619647					

Produced by Children's Safety Network National Injury Data Technical Assistance Center & Children's Safety Network Economics and Insurance Resource Center

Similar tables are available for all states at: <http://www.nidtac.org>

Rates presented in this table are based on 5-year averages. Rates based on small numbers are likely to be unstable. Thus, it may be inappropriate to make decisions based upon a comparison of the rates presented here with local single-year rates.

Data were obtained from the 1993-97 Multiple Cause-of-Death File CD-ROM Series, prepared by NCHS, Division of Vital Statistics and Division of Data Services

OHIO UNINTENTIONAL FATAL INJURY INCIDENCES, RATES AND ESTIMATED COSTS FOR AGES 1-4, 1993-97

Cause of Injury	Mean Annual Frequencies	Average Rate/100,000	Total Years Potential Life Lost	Total State Specific Estimated Lifetime Productivity Loss	Total State Specific Medical, Legal & Administrative Costs	Total Monetary Cost of Injury
Cut/pierce	0.0	0.0	0	\$0	\$0	\$0
Drowning/submersion	13.4	2.2	986.24	\$11,326,111	\$254,574	\$11,580,685
Falls	1.6	0.3	117.76	\$1,352,371	\$30,397	\$1,382,768
Fire/hot object or substance	21.6	3.5	1589.76	\$18,257,014	\$410,358	\$18,667,372
<i>Fire/flame</i>	21.4	3.5	1575.04	\$18,087,968	\$406,559	\$18,494,526
<i>Hot object/substance</i>	0.2	0.0	14.72	\$169,046	\$3,800	\$172,846
Firearms	0.8	0.1	58.88	\$676,186	\$15,198	\$691,384
Machinery	0.2	0.0	14.72	\$169,046	\$3,800	\$172,846
MV Traffic	21.0	3.4	1545.6	\$17,749,875	\$2,888,147	\$20,638,022
<i>MV-Occupant</i>	9.2	1.5	677.12	\$7,776,136	\$1,265,283	\$9,041,419
<i>MV-Motorcycle</i>	0.2	0.0	14.72	\$169,046	\$27,506	\$196,553
<i>MV-Pedal Cycle</i>	0.0	0.0	0	\$0	\$0	\$0
<i>MV-Pedestrian</i>	9.0	1.5	662.4	\$7,607,089	\$1,237,777	\$8,844,866
<i>Unspecified</i>	2.6	0.4	191.36	\$2,197,604	\$357,580	\$2,555,184
Non MV-Pedal Cycle	0.0	0.0	0	\$0	\$0	\$0
Non MV-Pedestrian	2.0	0.3	147.2	\$1,690,464	\$37,996	\$1,728,460
Other Transport	0.4	0.1	29.44	\$338,093	\$7,599	\$345,692
Natural/environment	0.2	0.0	14.72	\$169,046	\$3,800	\$172,846
<i>Bites & Stings</i>	0.0	0.0	0	\$0	\$0	\$0
Overexertion	0.0	0.0	0	\$0	\$0	\$0
Poisoning	1.0	0.2	73.6	\$845,232	\$18,998	\$864,230
Struck by/against	1.0	0.2	73.6	\$845,232	\$18,998	\$864,230
Suffocation	3.2	0.5	235.52	\$2,704,743	\$60,794	\$2,765,537
Other specified and classifiable	0.6	0.1	44.16	\$507,139	\$11,399	\$518,538
Other specified, not elsewhere classifiable	0.2	0.0	14.72	\$169,046	\$3,800	\$172,846
Unspecified	1.6	0.3	117.76	\$1,352,371	\$30,397	\$1,382,768

MIDYEAR POPL. FOR AGES 1-4

619647

Produced by Children's Safety Network National Injury Data Technical Assistance Center & Children's Safety Network Economics and Insurance Resource Center

Similar tables are available for all states at: <http://www.nidac.org>

Rates presented in this table are based on 5-year averages. Rates based on small numbers are likely to be unstable. Thus, it may be inappropriate to make decisions based upon a comparison of the rates presented here with local single-year rates.

Data were obtained from the 1993-97 Multiple Cause-of-Death File CD-ROM Series, prepared by NCHS, Division of Vital Statistics and Division of Data Services

OHIO FATAL INJURY INCIDENCES, RATES AND ESTIMATED COSTS FOR AGES 1-4, 1993-97

Cause of Injury by Intent	Mean Annual Frequencies	Average Rate/100,000	Total Years Potential Life Lost	Total State Specific Estimated Lifetime Productivity Loss	Total State Specific Medical, Legal & Administrative Costs	Total Monetary Cost of Injury
Cut/pierce (TOTAL)	0.0	0.0	0	\$0	\$0	\$0
Unintentional	0.0	0.0	0	\$0	\$0	\$0
Suicide	0.0	0.0	0	\$0	\$0	\$0
Homicide	0.0	0.0	0	\$0	\$0	\$0
Undetermined	0.0	0.0	0	\$0	\$0	\$0
Other	0.0	0.0	0	\$0	\$0	\$0
Drowning/submersion (TOTAL)	13.4	2.2	986	\$11,326,111	\$254,574	\$11,580,685
Unintentional	13.4	2.2	986	\$11,326,111	\$254,574	\$11,580,685
Suicide	0.0	0.0	0	\$0	\$0	\$0
Homicide	0.0	0.0	0	\$0	\$0	\$0
Undetermined	0.0	0.0	0	\$0	\$0	\$0
Falls (TOTAL)	1.6	0.3	118	\$1,352,371	\$30,397	\$1,382,768
Unintentional	1.6	0.3	118	\$1,352,371	\$30,397	\$1,382,768
Suicide	0.0	0.0	0	\$0	\$0	\$0
Homicide	0.0	0.0	0	\$0	\$0	\$0
Undetermined	0.0	0.0	0	\$0	\$0	\$0
Fire/hot object or substance (TOTAL)	23.0	3.7	1,693	\$19,440,339	\$436,956	\$19,877,295
Unintentional	21.6	3.5	1,590	\$18,257,014	\$410,358	\$18,667,372
Suicide	0.0	0.0	0	\$0	\$0	\$0
Homicide	1.0	0.2	74	\$845,232	\$18,998	\$864,230
Undetermined	0.4	0.1	29	\$338,093	\$7,599	\$345,692
Fire/flames (TOTAL)	22.8	3.7	1,678	\$19,271,293	\$433,156	\$19,704,449
Unintentional	21.4	3.5	1,575	\$18,087,968	\$406,559	\$18,494,526
Suicide	0.0	0.0	0	\$0	\$0	\$0
Homicide	1.0	0.2	74	\$845,232	\$18,998	\$864,230
Undetermined	0.4	0.1	29	\$338,093	\$7,599	\$345,692
Hot object/substance (TOTAL)	0.2	0.0	15	\$169,046	\$3,800	\$172,846
Unintentional	0.2	0.0	15	\$169,046	\$3,800	\$172,846
Suicide	0.0	0.0	0	\$0	\$0	\$0
Homicide	0.0	0.0	0	\$0	\$0	\$0
Undetermined	0.0	0.0	0	\$0	\$0	\$0
Firearm (TOTAL)	3.4	0.5	250	\$2,873,789	\$64,593	\$2,938,383
Unintentional	0.8	0.1	59	\$676,186	\$15,198	\$691,384
Suicide	0.0	0.0	0	\$0	\$0	\$0
Homicide	2.6	0.4	191	\$2,197,604	\$49,395	\$2,246,999
Undetermined	0.0	0.0	0	\$0	\$0	\$0
Other	0.0	0.0	0	\$0	\$0	\$0
Machinery (Unint)	0.2	0.0	15	\$169,046	\$3,800	\$172,846

Cause of Injury by Intent	Mean Annual Frequencies	Average Rate/100,000	Total Years Potential Life Lost	Total State Specific Estimated Lifetime Productivity Loss	Total State Specific Medical, Legal & Administrative Costs	Total Monetary Cost of Injury
MV traffic (Total)	21.0	3.4	1,546	\$17,749,875	\$2,888,147	\$20,638,022
Unintentional	21.0	3.4	1,546	\$17,749,875	\$2,888,147	\$20,638,022
<i>MV-Occupant (Unint)</i>	9.2	1.5	677	\$7,776,136	\$1,265,283	\$9,041,419
<i>MV-Motorcyclist (Unint)</i>	0.2	0.0	15	\$169,046	\$27,506	\$196,553
<i>MV-Pedal Cyclist (Unint)</i>	0.0	0.0	0	\$0	\$0	\$0
<i>MV-Pedestrian (Unint)</i>	9.0	1.5	662	\$7,607,089	\$1,237,777	\$8,844,866
<i>Unspecified (Unint)</i>	2.6	0.4	191	\$2,197,604	\$357,580	\$2,555,184
Suicide	0.0	0.0	0	\$0	\$0	\$0
Undetermined	0.0	0.0	0	\$0	\$0	\$0
Non MV-Pedal cyclist (Unint)	0.0	0.0	0	\$0	\$0	\$0
Non MV-Pedestrian (Unint)	2.0	0.3	147	\$1,690,464	\$37,996	\$1,728,460
Other Transport (TOTAL)	0.0	0.0	0	\$0	\$0	\$0
Unintentional	0.4	0.1	29	\$338,093	\$7,599	\$345,692
Suicide	0.0	0.0	0	\$0	\$0	\$0
Undetermined	0.0	0.0	0	\$0	\$0	\$0
Natural/environmental (TOTAL)	0.2	0.0	15	\$169,046	\$3,800	\$172,846
Unintentional	0.2	0.0	15	\$169,046	\$3,800	\$172,846
<i>Bites & Stings (Unint)</i>	0.0	0.0	0	\$0	\$0	\$0
Suicide	0.0	0.0	0	\$0	\$0	\$0
Undetermined	0.0	0.0	0	\$0	\$0	\$0
Overexertion (Unint)	0.0	0.0	0	\$0	\$0	\$0
Poisoning (TOTAL)	0.0	0.0	0	\$0	\$0	\$0
Unintentional	1.0	0.2	74	\$845,232	\$18,998	\$864,230
Suicide	0.0	0.0	0	\$0	\$0	\$0
Homicide	0.0	0.0	0	\$0	\$0	\$0
Undetermined	0.6	0.1	44	\$507,139	\$11,399	\$518,538
Other	0.0	0.0	0	\$0	\$0	\$0
Struck by/against (TOTAL)	1.2	0.2	88	\$1,014,279	\$22,798	\$1,037,076
Unintentional	1.0	0.2	74	\$845,232	\$18,998	\$864,230
Homicide	0.2	0.0	15	\$169,046	\$3,800	\$172,846
Other	0.0	0.0	0	\$0	\$0	\$0
Suffocation (TOTAL)	3.4	0.5	250	\$2,873,789	\$64,593	\$2,938,383
Unintentional	3.2	0.5	236	\$2,704,743	\$60,794	\$2,765,537
Suicide	0.0	0.0	0	\$0	\$0	\$0
Homicide	0.0	0.0	0	\$0	\$0	\$0
Undetermined	0.2	0.0	15	\$169,046	\$3,800	\$172,846

Cause of Injury by Intent	Mean Annual Frequencies	Average Rate/100,000	Total Years Potential Life Lost	Total State Specific Estimated Lifetime Productivity Loss	Total State Specific Medical, Legal & Administrative Costs	Total Monetary Cost of Injury
Other specified and classifiable	5.0	0.8	368	\$4,226,161	\$94,990	\$4,321,151
Unintentional	0.6	0.1	44	\$507,139	\$11,399	\$518,538
Suicide	0.0	0.0	0	\$0	\$0	\$0
Homicide	4.4	0.7	324	\$3,719,021	\$83,592	\$3,802,613
Undetermined	0.0	0.0	0	\$0	\$0	\$0
Other	0.0	0.0	0	\$0	\$0	\$0
Other specified, not elsewhere classifiable	1.6	0.3	118	\$1,352,371	\$30,397	\$1,382,768
Unintentional	0.2	0.0	15	\$169,046	\$3,800	\$172,846
Suicide	0.0	0.0	0	\$0	\$0	\$0
Homicide	1.2	0.2	88	\$1,014,279	\$1,781,166	\$2,795,444
Undetermined	0.2	0.0	15	\$169,046	\$3,800	\$172,846
Other	0.0	0.0	0	\$0	\$0	\$0
Unspecified	4.4	0.7	324	\$3,719,021	\$83,592	\$3,802,613
Unintentional	1.6	0.3	118	\$1,352,371	\$30,397	\$1,382,768
Suicide	0.0	0.0	0	\$0	\$0	\$0
Homicide	2.8	0.5	206	\$2,366,650	\$53,195	\$2,419,845
Undetermined	0.0	0.0	0	\$0	\$0	\$0
Other	0.0	0.0	0	\$0	\$0	\$0
Total Unintentional	68.8	11.1				
Total Suicides	0.0	0.0				
Total Homicides	12.2	2.0				
Total Undetermined	1.4	0.2				
Total Other	0.0	0.0				
All Injury	82.4	13.3				
MIDYEAR POPL. FOR AGES 1-4	619647.0			Estimated Lifetime Productivity Loss State Multiplier	Medical, Legal & Administrative Costs State Multiplier	
Adverse events/effects	4.0	0.6		0.966	0.910	
ALL EXTERNAL CAUSES	86.4	13.9				

Produced by Children's Safety Network National Injury Data Technical Assistance Center & Children's Safety Network Economics and Insurance Resource Center
Similar tables are available for all states at: <http://www.nidtac.org>
Rates presented in this table are based on 5-year averages. Rates based on small numbers are likely to be unstable. Thus, it may be inappropriate to make decisions based upon a comparison of the rates presented here with local single-year rates.
Data were obtained from the 1993-97 Multiple Cause-of-Death File CD-ROM Series, prepared by NCHS, Division of Vital Statistics and Division of Data Services